







i1000BT Thin Client

Delivering to
Multiple solutions



Best For Virtualisation Environment, Future upgrade, Best Performance, Plug n Play, Low power. Low cost. Citrix ICA, Citrix HDX, VMware Horizon PCoIP, VMware Horizon View RDP, Flexibility of Multiple Protocol Environment, Dual Monitor Support

 <p>FANLESS DESIGN</p>	 <p>VERSATILE INTERFACES</p>	 <p>VESA MOUNTING</p>
 <p>4 SERIES PORTS</p>	 <p>mSATA MSATA SUPPORT</p>	 <p>WIRELESS (OPTION)</p>

Industries

- Banking & Finance
- Insurance
- Manufacturing
- Education
- BPO
- Logistics
- Government

Replacement Warranty 1 year to 7 years



INP Computer Technology (p) Limited,

504 Sanjar Enclave, Opp Milap Cinema, S V Road, Kandivali West, Mumbai - 400067

T: +91 2240220413 E: | sales@inp.co.in, info@inp.co.in

Technical Specification

Processor	Intel (Bay Trail) Celeron 2.41 GHz Dual Core / Quad core (J1800 / J1900)
OS support	Win 7 Embedded, Windows 8 Embedded, Linux Embedded.
Memory	DDR3, 1066MHZ, (1 x So-DIMM slot, up to 8GB)
LAN	Realtek RTL8111E, 10/100/1000 Mbps LAN (Dual LAN Optional)
Audio	Realtek ALC-662
Storage	SATA DOM or mSATA (1GB to 128GB) or 500GB 2.5inch SATA HDD
Storage	2x SATA port, MINI PCI slot for M-SATA
WLAN Support	For 802.11 b, g, n (optional)
Display Graphic	Intel HD Graphics Supports 1920x1200 32 bit display resolution.* *Supports Full HD 1080P Blu-ray (Subject to monitor compatibility (LED/LCD))
Front I/O	2 x USB, MIC-in, Headphone-out, power button
Rear I/O	4 x USB, 1 x Ethernet RJ45, VGA, HDMI, 1x Serial, 1 x DC jack., 2 x PS/2
Power	65W worldwide auto-sensing 100-240 VAC 50-60Hz surge-tolerant power supply
Environmental	Fan less SystemTemp: 10 Degree C~ 60 Degree C Humidity: 20%~85% Non-Condensing MB Temp: 0~60 Degree C
Regulatory Compliance	BIS, UL, CB, ROHS

Operating System Specification

Operating system	Microsoft Windows 7 Embedded Microsoft Windows 8 Embedded Linux Embedded OS
Client software	Citrix Receiver 4.x Citrix Desktop Delivery Controller enabled through web browser, Microsoft RDP 7.x, Microsoft Internet Explorer 8, Windows Media Player 11, VMware Horizon View Client 3.0 and Higher
Protocols	Microsoft RDP 7.0
(Client Virtualization)	Citrix ICA / HDX VMware Horizon View through PCoIP or RDP
Browser supported	Internet Explorer 8 , IE9 , IE10 or IE11, Mozilla Firefox
Other Features	TCP/IP with DNS and DHCP Point-to-Point Protocol (PPP), Direct Connection through RS-232, Point-to-Point over Ethernet (PPPoE), Point-to-Point Tunneling Protocol (PPTP), Layer-2 Tunneling Protocol (L2TP), Wake on LAN (WOL), PXE Server Network Time Protocol (SNTP) Simple Network Management Protocol (SNMP)
Display	Dual Monitor Support
Security features	Enhanced Write Filter and File-based Write Filter, Administrator and user passwords, Microsoft Firewall (available as add-on), Smart card support, cable lock slot

Management	Remote Management Software (Sold As separate License)
Host environments	Citrix XenApp 4.5, 5.x, 6.x & 7.x, Citrix XenDesktop 2.x and 3.x, Windows Server 2008 Terminal Services, Windows 2000/2003 / 2008/2012 R2 Server families, Windows 2000/2003 /2008/ 2012R2 Server Terminal Services, blade PCs, Blade workstations, web applications, mainframes (terminal emulation)
Additional components	Microsoft Windows Media Player v12.0 Microsoft .NET Framework 2.0 SP2, 3.0 SP2 & 3.5 SP1
Local Application	Local Applications can be install (e.g. SAP, Oracle, JAVA Etc)
OS customization	Free OS customization under warranty
